

ÉLITIS

Auteur & Éditeur.

WALLCOVERING SALES ARGUMENTS JANUARY 2025



WALLCOVERING 2025

The collections bring out unexpected combinations, merging new worlds. The minerality of gesso, plaster and decorative coatings blends with the authenticity of plants, the brilliance of gold and the softness of textiles. The natural fibres of sisal and Thai linen meet art to create immense, spontaneous paintings.



Maestria

The essence of urban chic, where the raw meets the refined, and where plant material is juxtaposed with materials created by an artist. Horizontal and vertical lines arranged in light squares are highlighted with gold, silver and copper on a gesso base.

The clouds and stars are drawn with the same artistic sensibility to assert a touch of subtle luxury through their clean lines. The purity of the neutral, natural and muted colours creates a calm and welcoming space, combining authenticity and refinement.

CHIC URBAN - SISAL - ABACA - EMBROIDERY



RM 1078 01, RM 1078 15 & RM 1078 75



RM 1071 03



RM 1069 01
Lever le voile



RM 1069 04
Faire confiance à son instinct



RM 1069 05
Une belle nature



RM 1069 11
À son apogée



RM 1069 15
Donner le ton



RM 1069 52
Une douceur fruitée




RM 1069 55
L'esprit des coloris




RM 1069 60
Un luxe raffiné



RM 1069 86
Lueurs scandinaves




RM 1070 01
La paix des sens




RM 1070 02
Un chuchotement urbain



RM 1070 03
Revenu en grâce




RM 1070 05
Briser les frontières



RM 1070 46
Une note d'élégance




RM 1070 80
Tout en sensualité



RM 1070 81
Empreint de symboles



RM 1070 82
Lui offrir une seconde chance



RM 1070 91
Une séduction retrouvée



RM 1071 01
La quintessence de l'épure



RM 1071 02
Une naturelle bienveillance



RM 1071 03
Saisir l'émotion



RM 1071 05
Apporter la lumière



RM 1071 70
Cultures lointaines



RM 1071 81
Un sens à sa vie



RM 1071 87
Changer son destin



RM 1069 60



RM 1071 91
Une dimension céleste



RM 1072 01
Une harmonieuse cohabitation



RM 1072 10
Entre ombres et lumières



RM 1072 60
Un souci de perfection



RM 1072 80
Empreint de mystère



RM 1073 50
Une valeur refuge



RM 1073 90
Une puissante attraction



RM 1073 91
Le temple du luxe




RM 1075 01
Fragment de rêve



RM 1075 02
Une part d'émerveillement



RM 1075 05
Un précieux enrichissement



RM 1075 80
Intrinsèquement raffiné



RM 1076 01
Sublimer la simplicité




RM 1076 02
Une dimension esthétique



RM 1076 55
Une grâce architecturale




RM 1076 80
Un univers contemporain



RM 1077 02
Une matière d'art



RM 1077 11
Une habilité raffinée




RM 1077 60
Une maîtrise artistique



RM 1077 80
L'essence de la virtuosité



RM 1078 01
Éclats de lumières



RM 1078 15
Une vitalité discrète





RM 1078 75
Fragments d'étoiles



RM 1078 80
Un poème silencieux



RM 1077 02




Orion, Orphée & Kallisté

RM 1075, RM 1076 & RM 1077

These drawings are original creations: 3 sets of fully handmade backgrounds made with gesso and enhanced with metallic leaf gilding techniques. The designs were created to give the illusion of a changing and non-repetitive décor.

The gesso, applied with painter's serrated spatulas or stencils, is an acrylic paste that is very flexible and adheres perfectly to the sisal surface. Its matte texture and thickness contrast with the shine of the metallic leaf. Each color of gesso has been enhanced with different types of metal leaf: red copper, gold copper, oxidized copper with its golden and verdigris tones, aluminum, and finally, caplain, a blend of platinum, palladium, and gold.





RM 1075 80

The keys to the collection

Handmade product

Natural materials

RM 1078

Exceptional embroidery

Style

In the Maestria collection, plant fibres create an innovative combination of gesso and sisal, taking us on a journey into sophisticated new ambiances: sometimes soothing, sometimes playful, but always elegant.

Environmental plus

Indoor air emissions A+

Natural materials



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint.

For highly absorbent bases (new plaster, new drywall, etc.) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

RM 1069 - 1070 - 1071 - 1073

On a normally absorbent surface : coat the wall with a ready-to-use strengthened paste for fabric wall coverings or glass fabric respecting the paste manufacturer's instructions (Ovalit TM, Henkel). Apply dry strips. Immediately clean off traces of glue with lukewarm water.

On a moderately or little absorbent surface : coat the wall with a superior paste for heavy wallpaper (Ovalit Ultra, Henkel). Apply dry strips. Immediately clean off traces of glue with lukewarm water. For all other bases, please contact us. Avoid any traces of glue on the wallcovering.

RM 1075 - 1076 - 1077

For normally or poorly absorbent bases: Coat the wall with a superior paste for heavy wallpaper (Ovalit Ultra, Henkel). Apply dry strips.

For medium or low absorbency bases : Paste the wall with an adhesive such as Ovalit S (Henkel) and hang the strip dry. Paste using a fine-grained roughcast roller. Paste the wall the width of a strip then hang the strip and so on. Immediately clean off traces of glue with lukewarm water.

RM 1072 - 1078

For normally absorbent bases : Paste the wall with an adhesive such as Ovalit S (Henkel) and hang the strip dry. Paste using a fine-grained roughcast roller. Paste the wall the width of a strip then hang the strip and so on. Immediately clean off traces of glue with lukewarm water.


*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*


Samples

COLLECTION : VO_391_00

MINI COLLECTION : CA_600_15

SAMPLE : 20 x 25 cm (7.8" x 9.8")
13,5 x 17 cm (5.3" x 6.7")



				
RM 1069 <i>Sisal</i>	RM 1070 <i>Favoris</i>	RM 1071 <i>Pur abaca</i>	RM 1072 <i>Circé</i>	RM 1073 <i>Sisal métallique</i>
Roll of 6,2 m x 0,91 m (6.8 yd x 35.8’')	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8’')	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8’')	Width 89 cm (35’'), sold by the meter	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8’')
Free match	Free match	Free match	67 cm (26.4’') drop match at 22,5 cm (8.9’')	Free match
				
1,2 kg per roll	1,2 kg per roll	1,2 kg per roll	280 g/ml 9.2 oz/sq.yd	1,2 kg per roll
100% sisal on paper backing	100% sisal on paper backing	100% abaca on paper backing	100% abaca on paper backing	100% sisal on paper backing
Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth
Moderate light resistance	Moderate light resistance	Moderate light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.

			
RM 1075 <i>Orion</i>	RM 1076 <i>Orphée</i>	RM 1077 <i>Kallisté</i>	RM 1078 <i>Tissoro</i>
Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 7,2 m x 0,84 m (7.9 yd x 33")
Free match	Free match	Free match	Free match
2 kg per roll	1,7 kg per roll	3,6 kg per roll	3,8 kg per roll
70% sisal 25% acrylic colour 5% metallic foil on paper backing	70% sisal 25% acrylic colour 5% metallic foil on paper backing	70% sisal 25% acrylic colour 5% metallic foil on paper backing	62% sisal 18% VI 12% CO 8% PL on non woven backing
Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth
Moderate light resistance	Moderate light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.



Le jardin d'Aloès

Creations envisioned as powerful decorative plasterwork pieces, where the majesty of the designs is softened by materials such as chenille velvet, enhanced by a second skin-like suedette and enriched by Élitis' signature linen texture.

A monumental, velvety coating motif that catches the light to add a soft, almost sculptural depth. A three-dimensional design in which each piece of fruit appears to be sculpted directly into the wall, creating the illusion of a dreamlike garden in relief. A myriad of bountiful jewel-like berries embedded in the wall itself.

3D - ACOUSTIC - SUEDE - LINEN - VELVET



RM 1092 11 & RM 1092 80



RM 1092 11

WALLCOVERING 2025 / LE JARDIN D'ALOÈS
REFERENCES



RM 1088 02
Une abondance naturelle



RM 1089 01
Comme un jardin sans fin




RM 1090 03
Une nature sublimée



RM 1090 31
Plus grand que soi



RM 1091 01
À l'échelle des rêves



RM 1092 04
La douceur du velours



RM 1092 11
La richesse du temps



RM 1092 80
Vestiges de la lumière



RM 1093 01
Éclatant de silence



RM 1102 03
Un nouvel imaginaire



RM 1090 03

RM 1093 01



The keys to the collection

Made in France

Acoustic properties

Élitis creation

RM 1088 / RM 1090 / RM 1092 / RM 1102

Washable

RM 1089 / RM 1091 / RM 1093

Linen certified Master of Linen, Stain repellent treatment

Style

These 3D acoustic coverings were first sculpted in our workshop, at full and 1/2 scale respectively, to preserve the beautiful imperfections of the hand-made design. Linen is combined with chenille and suedette in a number of references, adding a play of textures to the volumes.

Environmental plus

Indoor air emissions A+

Made in France



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint.

For highly absorbent bases (new plaster, new drywall, etc.) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

On a normally absorbent surface : Paste the wall with an adhesive such as Ovalit TM (Henkel) and hang the strip dry.

For non-absorbent bases : Paste the wall with a paste for heavy wall coverings such as Ovalit ULTRA (Henkel) then hang the length dry (not wet).

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_394_00

MINI COLLECTION : CA_600_18

SAMPLE : 20 x 25 cm (7.8" x 9.8")





RM 1088 <i>Mosaïque du verger Suédine</i>	RM 1089 <i>Mosaïque du verger Lin</i>	RM 1090 <i>Colosse fruitier Suédine</i>	RM 1091 <i>Colosse fruitier Lin</i>
Width 118 cm (46”), sold by the meter	Width 118 cm (46”), sold by the meter	Panel of 3,2 m x 1,18 m (126” x 46”)	Panel of 3,2 m x 1,18 m (126” x 46”)
94 cm (37”) drop match at 47 cm (18.5”) 	94 cm (37”) drop match at 47 cm (18.5”) 		
16.2 oz/sq.yd	16.2 oz/sq.yd	16.2 oz/sq.yd	16.2 oz/sq.yd
100% PES on non woven backing	100% LI on non woven backing	100% PES on non woven backing	100% LI on non woven backing
Washable	Spongeable	Washable	Spongeable
Moderate light resistance	Good light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

As linen is a natural material, irregularities in weaving and color variations are inherent characteristics of the product



RM 1092 <i>Palimpseste Chenille</i>	RM 1093 <i>Palimpseste Lin</i>	RM 1102 <i>Palimpseste Suédine</i>
Width 118 cm (46”), sold by the meter	Width 118 cm (46”), sold by the meter	Width 118 cm (46”), sold by the meter
Free match	Free match	Free match
16.2 oz/sq.yd	16.2 oz/sq.yd	16.2 oz/sq.yd
100% PES on non woven backing	100% LI on non woven backing	100% PES on non woven backing
Washable	Spongeable	Washable
Good light resistance	Good light resistance	Good light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

As linen is a natural material, irregularities in weaving and color variations are inherent characteristics of the product



Tribus

A rich and colourful variety of plant fibres, dense like sisal in plain and two-tone shades, fine and refined like abacá, and wide and flat with a slightly satiny, knotted finish like arrowroot, joyfully make up the textured bases of Tribus. The ikat and appliqué embroideries capture the imagination and evoke the textile caravans of the East in a blend of elegance and bohemia. The raffia compositions lend freedom and frivolity to the aesthetic. The panoramic coverings, in which the colours delicately blend into the texture, add an authoritative Hispanic artistic influence with their abstract curves.

BOHEMIAN - SISAL - ABACA - EMBROIDERY



RM 1070 27



RM 1083 42

WALLCOVERING 2025 / TRIBUS / REFERENCES



RM 1069 01
Lever le voile




RM 1069 02
*La richesse
de la matière*



RM 1069 11
À son apogée



RM 1069 21
Énergie solaire



RM 1069 22
Dorée au soleil



RM 1069 40
Sous les oliviers



RM 1069 41
*Vers les horizons
lointains*



RM 1069 42
Brise saline



RM 1069 51
Nude



RM 1069 53
Enchanter les regards



RM 1069 57
Saveurs sucrées



RM 1069 62
Au milieu de la garrigue



RM 1069 63
Au cœur des vignes




RM 1069 66
Témoins de voyages



RM 1070 03
Revenu en grâce




RM 1070 04
L'excellence artisanale




RM 1070 11
Caramel doré



RM 1070 27
D'un pas léger



RM 1070 35
Influences culturelles



RM 1070 38
Terres ancestrales



RM 1070 40
La liberté de plaire




RM 1070 41
Fluide magnétique



RM 1070 45
Aventures nomades



RM 1073 50
Une valeur refuge



RM 1073 92
Attirer la lumière



RM 1069 21



RM 1079 01
Une grâce nonchalante



RM 1079 42
Un monde en mouvement



RM 1079 58
De découvertes en aventures



RM 1079 60
Au milieu coule une rivière



RM 1080 35
Une ombre légère dans la lumière



RM 1080 40
S'évader du quotidien



RM 1081 04
Une fluidité organique



RM 1081 35
Entre sensualité et spiritualité



RM 1083 01
Parfum de lumière




RM 1083 03
Pieds nus sur le sable chaud



RM 1083 04
Sublimer la simplicité




RM 1083 05
Voyage immobile



RM 1083 07
Aux portes du désert



RM 1083 42
Tisser des liens



RM 1083 88
Une authentique simplicité




RM 1097 35
Un pas vers l'aventure



RM 1097 60
Entre garrigue et maquis



RM 1098 01
Une conscience esthétique



RM 1098 15
Sa véritable beauté



RM 1100 01
Invitation à la danse





RM 1069 57

The keys to the collection

Handmade product

Natural materials

RM 1097 / RM 1098 / RM 1100

Exceptional embroidery

Style

In the Tribus collection, the Sisal and Arrowroot coverings offer a bold vision of plant fibres, far from an ethnic approach, where neutral tones rub shoulders with vibrant colours. The panoramic designs have been hand-painted on silk and then printed on the natural fibre.

Plus environmental

Indoor air emissions A+

Natural materials



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint.

For highly absorbent bases (new plaster, new drywall, etc.) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

RM 1069 - 1070 - 1073 - 1080 - 1081 - 1083

On a normally absorbent surface : coat the wall with a ready-to-use strengthened paste for fabric wall coverings or glass fabric respecting the paste manufacturer's instructions (Ovalit TM, Henkel). Apply dry strips. Immediately clean off traces of glue with lukewarm water.

On a moderately or little absorbent surface : coat the wall with a superior paste for heavy wallpaper (Ovalit Ultra, Henkel). Apply dry strips. Immediately clean off traces of glue with lukewarm water. For all other bases, please contact us. Avoid any traces of glue on the wallcovering.

RM 1097 - 1100

For normally or poorly absorbent bases : Coat the wall with a superior paste for heavy wallpaper (Ovalit Ultra, Henkel). Apply dry strips.

For medium or low absorbency bases : Paste the wall with an adhesive such as Ovalit S (Henkel) and hang the strip dry. Paste using a fine-grained roughcast roller. Paste the wall the width of a strip then hang the strip and so on. Immediately clean off traces of glue with lukewarm water.

RM 1079 - 1098

For normally absorbent bases : Paste the wall with an adhesive such as Ovalit S (Henkel) and hang the strip dry. Paste using a fine-grained roughcast roller. Paste the wall the width of a strip then hang the strip and so on. Immediately clean off traces of glue with lukewarm water.

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_392_00

MINI COLLECTION : CA_600_16

SAMPLE : 20 x 25 cm (7.8" x 9.8")
13,5 x 17 cm (5.3" x 6.7")




			
RM 1069 <i>Sisal</i>	RM 1070 <i>Favoris</i>	RM 1073 <i>Sisal métallique</i>	RM 1079 <i>Comporta</i>
Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Width 90 cm (35"), sold by the meter
Free match	Free match	Free match	Free match adjusted to the square of 30 cm (11.8") 
1,2 kg per roll	1,2 kg per roll	1,2 kg per roll	9.2 oz/sq.yd
100% sisal on paper backing	100% sisal on paper backing	100% sisal on paper backing	100% raffia on non woven backing
Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth
Moderate light resistance	Moderate light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.

			
RM 1083 <i>Grasscloth</i>	RM 1097 <i>Iskandar</i>	RM 1098 <i>Samarkand</i>	RM 1100 <i>Lazgi</i>
Roll of 6,2 m x 0,91 m (6.8 yd x 35.8")	Roll of 7,2 m x 0,86 m (7.9 yd x 34")	Roll of 7,2 m x 0,86 m (7.9 yd x 34")	Roll of 7,2 m x 0,86 m (7.9 yd x 34")
Free match	Straight match 78,7 cm (31") 	80 cm (31.5") drop match at 40 cm (15.7") 	Straight match 80 cm (31.5") 
1,2 kg per roll	3,8 kg per roll	3,8 kg per roll	3,8 kg per roll
100% arrow-root on paper backing	37% sisal 24% VI 21% PI 11% CO 4% PL 3% NY on non woven backing	31% VI 30% sisal 17% PI 13% PL 9% CO on non woven backing	37% sisal 22% PI 19% CO 18% VI on non woven backing
Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth	Avoid any contact with water, clean with a dry cloth
Moderate light resistance	Moderate light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.



RM 1080
Carthagène

Panoramic 3 drops

Standard of 2.7 m x 3 m (106” x 118”)
available in 3 drops of 0.9 m (35”)

1,8 kg per roll

100% sisal on paper backing


Avoid any contact with water, clean with a dry cloth

Moderate light resistance

Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.





RM 1081
Itzà

Panoramic 3 drops

Standard of 2.7 m x 3 m (106” x 118”)
available in 3 drops of 0.9 m (35”)

1,8 kg per roll

100% sisal on paper backing

Avoid any contact with water, clean with a dry cloth

Moderate light resistance

Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.





Poésies de l'instant


The collection captures the ephemeral essence of those moments when the sky is transformed at dawn and dusk.

The colours intertwine in delicate harmony. They combine the softness of a pale pink, the serenity of an emerging blue, the vibrant glow of a fiery red or an incandescent gold.

Each shade evokes the poetry of a suspended moment, the wonder as light embraces the day or slips into the night. A visual tribute to the universal emotions stirred by the beauty of the changing skies.

All the gradations are printed on woven natural Sisal. Each strip can be repeated ad infinitum in panels 3 m high x 0.91 m wide.

SISAL - GRADIENTS - COLORED SHADES



RM 1082 14



RM 1082 12

WALLCOVERING 2025 / POÉSIES DE L'INSTANT
REFERENCES



RM 1082 02
*De rose, de pêche, d'or
et d'amande*



RM 1082 04
*Comme une caresse
d'ombre et de mystère*



RM 1082 08
*Illuminé d'un or
liquide*



RM 1082 09
*Un frémissement
lumineux*



RM 1082 12
*Flotter entre deux
mondes*



RM 1082 13
À l'aube naissante



RM 1082 14
*Darder ses premiers
rayons*



RM 1082 16
Empreinte de sérénité



RM 1082 18
L'éphémère et l'éternel



RM 1082 20
*Une apothéose
flamboyante*





RM 1082 04

The keys to the collection

Handmade product

Natural material

Style

Beautiful gradients of subtle colors printed on sisal. Each wallpaper is unique, with color variations influenced by the seasons, temperature, and humidity.

Plus environmental

Indoor air emissions A+

Natural material



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint.

On an overly absorbent surface (such as new plaster, new wall...) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

On a normally or poorly absorbent bases : Paste the wall with an adhesive such as Ovalit TM (Henkel) and hang the strip dry.

For non-absorbent bases : Paste the wall with a paste for heavy wall coverings such as Ovalit ULTRA (Henkel) then hang the length dry (not wet).

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_393_00

MINI COLLECTION : CA_600_17

SAMPLE : 20 x 25 cm (7.8" x 9.8")





RM 1082
Poésies de l'instant

Panel of 3 m x 0,91 m (118" x 35.8")

200 g/ml
6.2 oz/sq.yd

100% sisal on paper backing

Avoid any contact with water, clean with a dry cloth

Moderate light resistance

Certificate ASTM E84 on demand

Each piece is unique, with color variations influenced by the seasons, temperature, and humidity. These differences are a natural result of the handcrafted production process.



Cérès

Cérès celebrates the encounter between oriental textiles and abstract art. Inspired by hand-woven fabrics such as Thai linen, the creations are enhanced by touches of pictorial abstraction. Thus a distant sun rises over motifs reminiscent of fabrics assembled in elegant patchworks: wide, sloping half-chevrons evoke the crude look of warp floats, while large, fringed squares make up a vast abstract tartan. On the plain designs, its light accentuates the tactile, random movements of woven linen, piercing palettes of hand-applied dyes caressed by the breath of spice-laced lands. Warm, earthy hues, soothing pastels and vibrant accents... In the panoramic designs, the sensitivity of the great abstract masters meets the tactile nature of fabric, giving rise to worlds in organic tones.

EMBOSSSED VINYL WITH AN ASPECT OF LINEN WEAVE
TEXTURED ELEGANCE - PATCHWORK



VP 1008 67



VP 1012 01

WALLCOVERING 2025 / CÉRÈS / REFERENCES



VP 1008 01
En toute simplicité



VP 1008 02
Une trame diaphane



VP 1008 05
Le souffle du vent



VP 1008 06
L'esprit des lieux



VP 1008 11
Un détour dans la savane



VP 1008 15
Son côté dandy



VP 1008 21
Briller de mille feux



VP 1008 22
Préserver l'été



VP 1008 30
Les ailes du désir



VP 1008 35
Réenchanter son quotidien



VP 1008 36
Sur les bords du Nil



VP 1008 40
Esprit de vacances



VP 1008 41
La splendeur de Milos



VP 1008 42
Alanguie dans les lagons



VP 1008 50
En toute candeur



VP 1008 51
Perles de pluie



VP 1008 55
Un passé recomposé



VP 1008 59
Une royale décision



VP 1008 60
El labo verde



VP 1008 61
Un petit air frivole



WALLCOVERING 2025 / CÉRÈS / REFERENCES



VP 1008 62
Où coule une rivière



VP 1008 64
Entre mousse et lichen



VP 1008 67
Un théâtre de verdure



VP 1008 70
Crépuscule d'été



VP 1008 81
Le début d'une histoire




VP 1009 02
Un charme discret



VP 1009 04
Écho des brumes



VP 1009 14
Portée par la nature




VP 1009 67
Rêve vert




VP 1010 03
Éclat de rose



VP 1010 50
Le sens de la délicatesse



VP 1010 75
Un chic ultime



VP 1010 81
Le sens du détail



VP 1011 01
Brocéliande



VP 1012 01
Proserpine



VP 1013 01
Sashiko



VP 1014 01
Ballet



VP 1015 02
Abstrait



VP 1010 50

VP 1014 01

The keys to the collection

Permanent fire resistant

Washable

Excellent light resistance

VP 1011 / VP 1012 / VP 1013 / VP 1014 / VP 1015
Custom size on demand

Style

This collection is inspired by the works of renowned abstract artists such as Mark Rothko and Monet, where a fusion of colours and textures lies at the heart of each composition. It offers an elegant, textured finish that creates the impression of floating yarns and interwoven threads, inspired by ancestral Asian fabrics. The panoramic designs also evoke elements of the natural world, recalling hand-dyeing techniques (such as batik or eco-printing) and incorporating subtle, poetic references to the art of weaving.

Plus environmental

Indoor air emissions A+

Made in Italy

SCS Indoor Air Quality certified

Eligible for LEED v4 & LEED v4.1 BETA*

All our vinyl wallpapers are manufactured in accordance with environmental and human health protection standards. The inks used are water-based. Our manufacturer recycles 75% of its waste (the PVC is reused to manufacture windows and the paper is used to make confetti) and reuses its energy and resources (heat, cold, water). The vinyl is made from solvent-free.



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint. For very dark colours, we recommend tinting the surface to be covered to obtain best results at the seams.

For highly absorbent bases (new plaster, new drywall, etc.) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

For normally absorbent bases : Glue the back of the paper with an adhesive such as METYLAN EXPERT (Henkel) in accordance with the manufacturer's recommendations, fold the strip into a wallet, leave to soak for 8/10 minutes then apply the strip to the wall.

For medium or low absorbency bases : Paste the wall with an adhesive such as OVALIT TM (Henkel) in accordance with the manufacturer's recommendations, and hang the strip which has been slightly dampened with water on the backside. Soaking time between 8/10 minutes.

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_389_00

MINI COLLECTION : CA_700_17

SAMPLE : 20 x 25 cm (7.8" x 9.8")






VP 1008 <i>Rhéa</i>	VP 1009 <i>Cybèle</i>	VP 1010 <i>Héra</i>
Roll of 10 m x 0,7 m (11 yd x 27")	Roll of 10 m x 0,7 m (11 yd x 27")	Roll of 10 m x 0,7 m (11 yd x 27")
Straight match 70 cm (27.6") or free match	Straight match 70 cm (27.6")	Free match
		
3,1 kg per roll	3,1 kg per roll	3,1 kg per roll
Vinyl on a paper backing	Vinyl on a paper backing	Vinyl on a paper backing
Washable	Washable	Washable
Shrinkage according to the care instructions : excellent	Shrinkage according to the care instructions : excellent	Shrinkage according to the care instructions : excellent
Moderate light resistance	Moderate light resistance	Moderate light resistance
Certificate ASTM E84 on demand	Certificate ASTM E84 on demand	Certificate ASTM E84 on demand



VP 1011 <i>Brocéliande</i>
Panoramic 8 drops
Standard size 5.6 x 3.2 m (220 x 126") - 8 drops of 0.7 x 3.2 m (27 x 126") or sold by the drop of 0.7 x 3.2 m (27 x 126") Custom size on demand
7,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1012 <i>Proserpine</i>
Panoramic 8 drops
Standard size 5.6 x 3.2 m (220 x 126") - 8 drops of 0.7 x 3.2 m (27 x 126") or sold by the drop of 0.7 x 3.2 m (27 x 126") Custom size on demand
7,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1013 <i>Sashiko</i>
Panoramic 8 drops
Standard size 5.6 x 3.2 m (220 x 126") - 8 drops of 0.7 x 3.2 m (27 x 126") or sold by the drop of 0.7 x 3.2 m (27 x 126") Custom size on demand
7,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1014 <i>Ballet</i>
Panoramic 8 drops
Standard size 5.6 x 3.2 m (220 x 126") - 8 drops of 0.7 x 3.2 m (27 x 126") or sold by the drop of 0.7 x 3.2 m (27 x 126") Custom size on demand
7,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1015 <i>Abstrait</i>
Panoramic 8 drops
Standard size 5.6 x 3.2 m (220 x 126") - 8 drops of 0.7 x 3.2 m (27 x 126") or sold by the drop of 0.7 x 3.2 m (27 x 126") Custom size on demand
7,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





Kintsugi

This collection revisits Kintsugi, the art of mending broken ceramics with gold, making them even more valuable. This revival uses plaster with its raw patina to reveal precious paintings. Unpredictable, uneven, metal streaks cross the matt colours. Chaos becomes a jewel, as zen as it is soothing.

EMBOSSSED VINYL WITH THE ASPECT OF GOLDEN CRACKS
PLASTER EFFECT - JAPAN



VP 1004 03




VP 1004 11



VP 1004 01
État de grâce



VP 1004 02
Un sillon d'or




VP 1004 03
Hommage esthétique



VP 1004 04
Précieuse alchimie



VP 1004 11
*Conversations
secrètes*




VP 1004 12
Éloge de la simplicité



VP 1004 13
Tranquille plénitude



VP 1004 15
Le sens de la mesure



VP 1004 21
Une pièce d'exception



VP 1004 31
Attiser sa curiosité



VP 1004 35
*Comme un palais
vénitien*



VP 1004 40
Parée d'élégance



VP 1004 41
Noir de lune



VP 1004 42
Faveurs royales



VP 1004 51
*Une exigence
naturelle*



VP 1004 52
*Poursuite
de la perfection*



VP 1004 61
Une belle alliance



VP 1004 62
*Une étrange
sensualité*



VP 1004 67
La sagesse du temps




VP 1004 70
Vertu cardinale




VP 1004 81
Sublimer ses failles



VP 1005 01
Algues dorées



VP 1006 01
*Une certaine
magnificence*



VP 1007 01
*Les marques
de l'Empire*



VP 1022 01
Kintsugi éclat





VP 1004 02

The keys to the collection

Wide width 1 m (39")

Permanent fire resistant

Washable

VP 1005 / VP 1006 / VP 1007 / VP 1022

Custom size on demand

Style

These creations combine plaster and metal in a kintsugi-like effect. 3 panoramic prints complete the references.

Environmental plus

Indoor air emissions A+

Made in Italy

SCS Indoor Air Quality certified

Eligible for LEED v4 & LEED v4.1 BETA*

All our vinyl wallpapers are manufactured in accordance with environmental and human health protection standards. The inks used are water-based. Our manufacturer recycles 75% of its waste (the PVC is reused to manufacture windows and the paper is used to make confetti) and reuses its energy and resources (heat, cold, water). The vinyl is made from solvent-free.



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint. For very dark colours, we recommend tinting the surface to be covered to obtain best results at the seams.

For highly absorbent bases (new plaster, new drywall, etc.) :

Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

VP 1004

For normally absorbent bases : Paste the wall with an adhesive such as OVALIT TM (Henkel) following the manufacturer's recommendations and hang the strip which has been slightly dampened with water on the backside. Soaking time between 8/10 minutes.

For medium or low absorbency bases : Paste the wall with an adhesive such as OVALIT ULTRA (Henkel) and hang the strip which has been slightly dampened with water on the backside. Soaking time between 8/10 minutes.

VP 1005 / VP 1006 / VP 1007 / VP 1022

For normally absorbent bases : Paste the wall with an adhesive such as Ovalit TM (Henkel), following the manufacturer's recommendations, then hang the strip dry.

For medium or low absorbency bases : Paste the wall with an adhesive such as Ovalit Ultra (Henkel), following the manufacturer's recommendations, then hang the strip dry.

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_388_00

MINI COLLECTION : CA_700_15

SAMPLE : 20 x 25 cm (7.8" x 9.8")






VP 1004
Kintsugi

Roll of 10 m x 1 m (11 yd x 39")

84 cm (33.1") drop match at 42 cm (16.5")



4,7 kg per roll

Vinyl on a paper backing

Washable

Shrinkage according to the care instructions : excellent

Excellent light resistance

Certificate ASTM E84 on demand



VP 1005
Algues dorées

Panoramic 3 drops

Standard size 3 x 3 m (118 x 118") - 3 drops of 1 x 3 m (39 x 118")
or sold by the drop of 1 x 3 m (39 x 118")
Custom size on demand

3,7 kg per roll

Vinyl on a non woven backing

Washable

Shrinkage according to the care instructions : excellent

Good light resistance

Certificate ASTM E84 on demand





VP 1006
Une certaine magnificence

Panoramic 3 drops

Standard size 3 x 3 m (118 x 118”) - 3 drops of 1 x 3 m (39 x 118”)
or sold by the drop of 1 x 3 m (39 x 118”)
Custom size on demand

3,7 kg per roll

Vinyl on a non woven backing

Washable

Shrinkage according to the care instructions : excellent

Good light resistance

Certificate ASTM E84 on demand





VP 1007
Les marques de l'Empire

Panoramic 3 drops

Standard size 3 x 3 m (118 x 118") - 3 drops of 1 x 3 m (39 x 118")
or sold by the drop of 1 x 3 m (39 x 118")
Custom size on demand

3,7 kg per roll

Vinyl on a non woven backing

Washable

Shrinkage according to the care instructions : excellent

Good light resistance

Certificate ASTM E84 on demand





VP 1022 <i>Kintsugi éclat</i>
Panoramic 6 drops
Standard size 6 x 3.2 m (236 x 126”) - 6 drops of 1 x 3.2 m (39 x 126”) or sold by the drop of 1 x 3.2 m (39 x 126”) Custom size on demand
7,4 kg per roll
Vinyl on a non woven backing
Washable
Shrinkage according to the care instructions : excellent
Good light resistance
Certificate ASTM E84 on demand





Sangpi

Sangpi, an ancestor of washi paper, embraces new identities. Cut out, glued and juxtaposed, it forms a series of sheer abstract paintings. From irregular positions to superimpositions, the paper leaves flat surfaces to find relief and sculpt the light. On the panoramic coverings, the sangpi becomes a painter's canvas, drawing huge spontaneous pictures. Rough sketches that hint at future intentions and emotions, captured in full flow in the artist's studio...

PAPER EFFECT - RELIEF - VELVETY TEXTURE



VP 1018 61



VP 1004 11

WALLCOVERING 2025 / SANGPI / REFERENCES



VP 1018 01
*Entre délicatesse
et profondeur*



VP 1018 02
Un moment d'éternité



VP 1018 03
Une beauté intemporelle



VP 1018 04
Un peu de légèreté



VP 1018 05
Précieuse vibration



VP 1018 06
En toute intimité



VP 1018 07
Voyage intérieur




VP 1018 08
Un monde suspendu



VP 1018 15
Ambre dorée



VP 1018 22
Éclat de lumière



VP 1018 35
Oublier la nostalgie




VP 1018 38
Divine surprise



VP 1018 39
Velours nocturne



VP 1018 40
Les ailes d'un ange



VP 1018 41
Escale idyllique




WALLCOVERING 2025 / SANGPI / REFERENCES



VP 1018 42
Comme un saphir




VP 1018 50
Un voile de brume




VP 1018 60
Au cœur des vignes



VP 1018 61
Un après-midi d'été



VP 1018 67
L'ombre d'un mystère



VP 1018 70
Enluminures monacales



VP 1018 82
La nuit de Persée



VP 1019 01
Terres lointaines



VP 1025 01
Aspirations fusionnelles



VP 1026 01
Brumes laquées



VP 1027 01
L'Eden et après



VP 1018 04

The keys to the collection

Wide width 1 m (39")

Permanent fire resistant

Washable

VP 1019, VP 1025, VP 1026, VP 1027
Custom size on demand

Style

This collection transposes the works of Art Paper wall coverings into vinyl. The incredibly precise paper effect allows the velvety texture of the material to be felt. Painted in full or 3/4 scale, the original paintings finely reproduce the accuracy of the lines and the juxtaposition of colours, giving an almost palpable rendering of the painted work.

Plus environmental

Indoor air emissions A+

Made in Italy

SCS Indoor Air Quality certified

Eligible for LEED v4 & LEED v4.1 BETA*

All our vinyl wallpapers are manufactured in accordance with environmental and human health protection standards. The inks used are water-based. Our manufacturer recycles 75% of its waste (the PVC is reused to manufacture windows and the paper is used to make confetti) and reuses its energy and resources (heat, cold, water). The vinyl is made from solvent-free.



How to hang

The surface must be flat, smooth, sound, permanently dry, clean, firm, grease-free, dust-free and of normal porosity. Remove any peeling or loose paint. For very dark colours, we recommend tinting the surface to be covered to obtain best results at the seams.

For highly absorbent bases (new plaster, new drywall, etc.) : Apply a sealer to consolidate the surface if necessary or a matt acrylic paint primer diluted 30%, then use the glue mentioned for normally absorbent bases.

For normally absorbent bases : Paste the wall with an adhesive such as OVALIT TM (Henkel) following the manufacturer's recommendations and hang the strip which has been slightly dampened with water on the backside. Soaking time between 8/10 minutes.

For medium or low absorbency bases : Paste the wall with an adhesive such as OVALIT ULTRA (Henkel) following the manufacturer's recommendations and hang the strip which has been slightly dampened with water on the backside. Soaking time between 8/10 minutes.

*For all other bases, please contact us.
Avoid any traces of glue on the wallcovering.*

Samples

COLLECTION : VO_390_00

MINI COLLECTION : CA_700_18

SAMPLE : 20 x 25 cm (7.8" x 9.8")





VP 1008
Sangpi

Roll of 10 m x 1 m (11 yd x 39")

Free match

3,6 kg per roll

Vinyl on a paper backing

Washable

Shrinkage according to the care instructions : excellent

Excellent light resistance

Certificate ASTM E84 on demand



VP 1019
Terres lointaines

Panoramic 3 drops

Standard size 3 x 3 m (118 x 118”) - 3 drops of 1 x 3 m (39 x 118”)
or sold by the drop of 1 x 3 m (39 x 118”)
Custom size on demand

3,2 kg per roll

Vinyl on a paper backing

Washable

Shrinkage according to the care instructions : excellent

Excellent light resistance

Certificate ASTM E84 on demand





VP 1025 <i>Aspirations fusionnelles</i>
Panoramic 6 drops
Standard size 6 x 3.2 m (236 x 126") - 6 drops of 1 x 3.2 m (39 x 126") or sold by the drop of 1 x 3.2 m (39 x 126") Custom size on demand
6,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1026 <i>Brumes laquées</i>
Panoramic 6 drops
Standard size 6 x 3.2 m (236 x 126") - 6 drops of 1 x 3.2 m (39 x 126") or sold by the drop of 1 x 3.2 m (39 x 126") Custom size on demand
6,9 kg per roll
Vinyl on a paper backing
Washable
Shrinkage according to the care instructions : excellent
Excellent light resistance
Certificate ASTM E84 on demand





VP 1027
L'Eden et après

Panoramic 6 drops

Standard size 6 x 3.2 m (236 x 126") - 6 drops of 1 x 3.2 m (39 x 126")
or sold by the drop of 1 x 3.2 m (39 x 126")
Custom size on demand

6,9 kg per roll

Vinyl on a paper backing

Washable

Shrinkage according to the care instructions : excellent

Excellent light resistance

Certificate ASTM E84 on demand

